## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp          |
|-------|------|---|---|---------------------|---------|---------------------|
| L1    | 41   | object adj identificat\$3 and (fiducials or marks or dots) and object adj extract\$3 and location and orientation   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/03/28<br>09:24 |
| L2    | 12   | L1 and object and(subareas or subdivision or sub adj division or segment\$5 or split \$4 or divid\$3 or partit\$3)same (pixel\$1 or stick or group)and (classification or classif\$3 or classified)                       | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/03/28<br>09:29 |
| L3    | 12   | L1 and (object or area or region) and (subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3 or partit\$3) same(pixel \$1 or stick or group) and (classification or classif\$3 or classified) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/03/28<br>09:29 |
| L4    | 12   | L3 and (detect\$3 or determining)and(pixel\$1 or stick or group)and(object or area or region)same (plurality or plural\$1 or sets)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/03/28<br>09:31 |
| L5    | 0    | L4 and(pixel\$1 or stick or group)same(raster adj line or scann\$3)   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/03/28<br>09:34 |
| L6    | 9    | L4 and(pixel\$1 or stick or group)and(raster adj line or scann\$3)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/03/28<br>09:35 |
| L7    | 4    | L6 and @ad< "20030623"  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/03/28<br>09:35 |
| L8    | 1    | L3 and (detect\$3 or determining)and(pixel\$1 or stick or group)same(object or area or region)same(plurality or plural\$1 or sets)same specific same(area or region)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/03/28<br>10:54 |

| L9         | 1  | L4 and (detect\$3 or<br>determining)and(pixel\$1 or<br>stick or group)same(object or<br>area or region)same(plurality<br>or plural\$1 or sets)same<br>specific same(area or region)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/28<br>10:54 |
|------------|----|--|---|----|----|---------------------|
| L10        | О  | L9 and @ad< "20030623"   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/28<br>10:55 |
| S1         | 21 | (subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3) and pixel \$1 and image\$1 adj analysis and identificat\$3 adj(fiducials or marks or dots) and (classification or classif\$3)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:19 |
| \$2        | 0  | (subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3) and pixel \$1 and image\$1 adj analysis and identificat\$3 adj(fiducials or marks or dots) and identificat\$3 and(classification or classif\$3) and raster adj scanning and horizontal and vertical and image and moments and (detect\$3 or determining) same pose adj camera and location and orientation | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03          |
| S3         | 0  | identificat\$3 adj(fiducials or marks or dots)and(subareas or subdivision or sub adj division or segment\$5 or split \$4 or divid\$3)and pixel\$1 and (classification or classif\$3)and raster adj scanning and horizontal and vertical and (detect\$3 or determining)and pose adj camera and location and orientation   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>15:15 |
| S4         | 0  | S1 and binary adj<br>(classification or classif\$3)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>15:19 |
| <b>S</b> 5 | 20 | S1 and(@ad<"20030623" or<br>@rlad<"20030623" or<br>@prad<"20030623" or<br>@ptad<"20030623")  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:24 |

| S6   | 14 | S1 and @ad<"20030623"  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/06/03<br>17:44 |
|------|----|--|---|----|-----|---------------------|
| S7   | 0  | identificat\$3 adj(fiducials or marks or dots)same object adj extract\$3 and location and orientation and(subareas or subdivision or sub adj division or segment\$5 or split \$4 or divid\$3)and(area or regions)and pose adj estimat \$3 and pixel\$1 adj (classification or classif\$3)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/06/03<br>17:45 |
| \$8  | 0  | identificat\$3 adj(fiducials or marks or dots) and object adj extract\$3 and location and orientation and(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3) and (area or regions) and pose adj estimat\$3 and pixel\$1 and(classification or classif\$3)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/06/03<br>16:12 |
| S9   | 0  | identificat\$3 adj(fiducials or<br>marks or dots)and object adj<br>extract\$3 and location and<br>orientation  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/06/03<br>16:12 |
| S10  | 38 | object adj identificat\$3 and (fiducials or marks or dots) and object adj extract\$3 and location and orientation  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/06/03<br>16:13 |
| S1 1 | 34 | S10 and object and(subareas or subdivision or sub adj division or segment\$5 or split \$4 or divid\$3)and pixel\$1 and (classification or classif\$3)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/06/03<br>16:14 |
| S12  | 90 | (("(20040258306") or<br>("20040258314") or<br>("6765569") or<br>("20020191862") or<br>("20060002631") or<br>("20060219953") or<br>("6424734") or ("5995214")<br>or ("20040239756") or<br>("5578899") or ("5730113")<br>or ("5733708") or<br>("5865163") or ("5942805")<br>or ("6001703") or<br>("6144875") or ("6244076")<br>or ("6367289") or<br>("6501981") or ("6625357") | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/06/03<br>16:16 |

|     |    | or ("6933536") or ("6975896") or ("7064318") or ("20010004839") or ("20020109843") or ("20020119588") or ("20030044120") or ("20030125622") or ("20030125622") or ("20040048404") or ("20040048404") or ("20050045815") or ("20050129296") or ("20050129296") or ("20060074292") or ("6993177") or ("5042843") or ("5572601") or ("5483606") or ("5572601") or ("6625299") or ("6477266") or ("6625299") or ("7162054") or ("7127082") or ("7162054") or (").pn.")).PN. |   |    |    |                     |
|-----|----|---|---|----|----|---------------------|
| S13 | 0  | S12 and S1  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:17 |
| S14 | 0  | S12 and S10   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:17 |
| S15 | 67 | S12 and @ad<"20030623"  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:17 |
| S16 | 0  | S15 and object adj extract\$3   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:18 |
| S17 | 0  | S15 and identify\$3 adj object  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:18 |

| S18         | 0 | S15 and(subareas or<br>subdivision or sub adj division<br>or segment\$5 or split\$4 or<br>divid\$3)and pixel\$1 and image<br>\$1 adj analysis and identificat<br>\$3 adj(fiducials or marks or<br>dots)and(classification or<br>classif\$3) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:19 |
|-------------|---|---|---|----|----|---------------------|
| S19         | 1 | S15 and(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3) and(area or regions) and identificat\$3 and(fiducials or marks or dots) and (classification or classif\$3) same pixel\$1                         | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:37 |
| S20         | 0 | S19 and raster adj scanning and horizontal and vertical   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:18 |
| S21         | 0 | S19 and raster and scanning and horizontal and vertical   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:45 |
| S22         | 0 | S19 and scanning and horizontal and vertical  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:46 |
| <b>S</b> 23 | 0 | S19 and scanning  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:46 |
| S24         | 0 | S19 and scanning  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:47 |
| S25         | 1 | S19 and vectors   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:47 |
| S26         | 1 | S25 and single  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:47 |

| S27 | 0 | S25 and single adj line  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:18 |
|-----|---|--|---|----|----|---------------------|
| S28 | 1 | S25 and (colour or colur)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:18 |
| S29 | О | S28 and luminance  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:43 |
| S30 | О | S28 and chrominance  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:19 |
| S31 | 1 | S28 and(compar\$5 or match<br>\$3 or combined)   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:19 |
| S32 | 1 | S31 and threshold\$3   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:19 |
| S33 | 0 | S32 and(area or regions)and pose adj estimat\$3 and pixel \$1 adj(classification or classif \$3) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:54 |
| S34 | 1 | S32 and(area or regions)and pixel\$1 adj(classification or classif\$3)                           | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:54 |
| S35 | 1 | S32 and(area or regions)and pixel\$1 adj(classification or classif\$3)                           | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>16:54 |
| S36 | 0 | S6 and raster adj scanning and horizontal and vertical   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:18 |

| S37 | 7  | S6 and (raster or line)and scanning and horizontal and vertical  | US-PGPUB;<br>USPAT; EPO;<br>JPO;                        | OR | ON | 2007/06/03<br>17:53 |
|-----|----|--|---|----|----|---------------------|
|     |    |  | DERWENT;<br>IBM_TDB                                     |    |    |                     |
| S38 | 0  | S37 and single adj line  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:18 |
| S39 | 7  | S37 and (colour or colur)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:43 |
| S40 | 0  | S39 and luminance  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:53 |
| S41 | 0  | S39 and chrominance  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:46 |
| S42 | 7  | S39 and(compar\$5 or match \$3 or combined)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:42 |
| S43 | 0  | S42 and threshold\$3   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:19 |
| S44 | 14 | ((ROY) near2 (HASHIMOTO)).<br>INV.   | US-PGPUB;<br>USPAT                                      | OR | ON | 2007/06/03<br>17:21 |
| S45 | 0  | S1 and S44   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:22 |
| S46 | 2  | S44 and(subareas or<br>subdivision or sub adj division<br>or segment\$5 or split\$4 or<br>divid\$3)and(area or regions)<br>and identificat\$3 and(fiducials<br>or marks or dots)and<br>(classification or classif\$3)and<br>pixel\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:36 |

| S47 | 0    | S46 and(@ad<"20030623" or<br>@rlad<"20030623" or<br>@prad<"20030623" or<br>@ptad<"20030623")   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:24 |
|-----|------|--|---|----|----|---------------------|
| S48 | 2    | S46 and SIMD   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:38 |
| S49 | 5339 | (subareas or subdivision or<br>sub adj division or segment\$5<br>or split\$4 or divid\$3)and(area<br>or regions)and identificat\$3<br>and(fiducials or marks or dots)<br>and(classification or classif\$3)<br>and pixel\$1         | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:36 |
| S50 | 15   | pose adj estimat\$3 and (subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)and(area or regions)and identificat\$3 and(fiducials or marks or dots) and(classification or classif\$3) same pixel\$1  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:41 |
| S51 | 2    | S50 and SIMD   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:40 |
| S52 | 11   | pose adj estimat\$3 and (subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same (area or regions)and identificat \$3 and(fiducials or marks or dots)and(classification or classif\$3)same pixel\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:50 |
| S53 | 11   | S52 and(compar\$5 or match<br>\$3 or combined)and(subareas<br>or subdivision or sub adj<br>division or segment\$5 or split<br>\$4 or divid\$3)same(area or<br>regions)and(classification or<br>classif\$3)same pixel\$1            | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:55 |
| S54 | 11   | S53 and (colour or colur)  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:46 |

| S55 | 2 | S54 and luminance   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:46 |
|-----|---|---|---|----|----|---------------------|
| S56 | 2 | S55 and luminance   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:44 |
| S57 | 0 | S56 and @ad<"20030623"  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:46 |
| S58 | 0 | identificat\$3 adj(fiducials or<br>marks or dots)same object<br>adj extract\$3 same locat\$3  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:51 |
| S59 | 3 | identificat\$3 adj(fiducials or<br>marks or dots)and object adj<br>extract\$3 and locat\$3  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:45 |
| S60 | 1 | S59 and @ad< "20030623"   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:52 |
| S61 | 1 | S60 and (colour or colur)   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:47 |
| S62 | 0 | S61 and luminance   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:54 |
| S63 | 0 | S61 and chrominance   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:46 |
| S64 | 0 | \$61 and pose adj estimat\$3 and(subareas or subdivision or sub adj division or segment \$5 or split\$4 or divid\$3)same (area or regions)and identificat \$3 and(fiducials or marks or dots)and(classification or classif\$3)same pixel\$1 | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:47 |

| S65 | 31 | pose adj estimat\$3 and (CCD or camera or sensor\$1 or detector\$1)and(subareas or subdivision or sub adj division or segment\$5 or split\$4 or divid\$3)same(area or regions) and identificat\$3 and(fiducials or marks or dots) | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:51 |
|-----|----|---|---|----|----|---------------------|
| S66 | 3  | S65 and object adj extract\$3 and locat\$3 and orientat\$3  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:52 |
| S67 | 1  | S66 and @ad<"20030623"  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:54 |
| S68 | 0  | S67 and luminance   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:53 |
| S69 | 0  | S67 and (raster or line)and scanning and horizontal and vertical  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:53 |
| S70 | 4  | S65 and (raster or line)and scanning and horizontal and vertical  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:53 |
| S71 | 0  | S69 and luminance   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:54 |
| S72 | 4  | S70 and @ad< "20030623"   | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:54 |
| S73 | 0  | S72 and(compar\$5 or match<br>\$3 or combined)and(subareas<br>or subdivision or sub adj<br>division or segment\$5 or split<br>\$4 or divid\$3)same(area or<br>regions)and(classification or<br>classif\$3)same pixel\$1           | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:56 |

| S74 |   | division or segment\$5 or split  | USPAT; EPO;<br>JPO;                                     | OR | ON | 2007/06/03<br>18:05 |
|-----|---|--|---|----|----|---------------------|
| S75 | 0 | S74 and(area or regions)and (classification or classif\$3)and pixel\$1 |   | OR | ON | 2007/06/03<br>17:57 |
| S76 |   | S74 and(classification or classif<br>\$3)and pixel\$1                  | US-PGPUB;<br>USPAT; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/03<br>17:57 |

3/28/08 11:10:09 AM

C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 2996.wsp